POPULATION ESTIMATES	LONG-TERM CAR	E	LOCAL HEALTH DEPARTMENTS			
Total 2003 Population 582, Population per square mile County ranking in state (1-72)	Community Options and MA as HSRS reports costs fo	. Wai ver		Per		
Age Female Male To 0-14 56,300 59,350 115, 15-19 21,260 22,190 43,	COP 123	\$2, 065, 222	Staffing - FTE Number Total staff 177.7 Administrative 16.4 Public health nurses 72.2 Other prof. staff 40.8 Technical/Paraprof. 22.4 Support staff 25.3	1. 2 0. 7 0. 4 0. 4		
25-29 16, 810 18, 300 35, 30-34 18, 280 19, 330 37, 35-39 21, 490 22, 150 43,	CI P1A 86 , 450 CI P1B 793 , 130 CI P2 311 , 130 COP-W 746 , 590 CSLA 83 , 630 Brain Injury 19 , 290 Total COP/Wvrs 2, 161	\$7, 958, 812 \$770, 279 \$772, 236 \$42, 456, 275	Fundi ng Total \$11, 635, 640 Local Taxes \$5, 834, 188	Per capi ta \$19. 99 \$10. 02		
45-54 41, 760 43, 140 84,	,860 \$2,299,666 of the above		LICENSED ESTABLISHME	ENTS		
65-74 19,700 17,560 37, 75-84 16,240 11,340 27, 85+ 8,160 3,500 11,	were paid as local matc using COP funds. This not included in above C	h/overmatch amount is OP costs.	Type Capacity Bed & Breakfast 211 Camps 9,823 Hotels, Motels 8,564 Tourist Rooming 750	Facilities 60 111 225		
Age Female Male To 0-17 68,920 72,680 141, 18-44 109,530 114,700 224, 45-64 69,430 70,350 139,	,610 280 Clients	g. Costs	Tourist Rooming 750 Pools Restaurants Vending	239 256 2, 608 44		
45-64 69, 430 70, 350 139, 65+ 44, 100 32, 400 76, Total 291, 950 290, 150 582,	,480 Waiting 1,021	n/a				
Poverty Estimates for 2000	(Family Care data not av	ai I abl e)	WIC PARTICIPANTS			
Estimate (C.I All ages 33,304 not Ages 0-17 9,728 availa	Note: Eligible and waiti will be phased into th	ng clients e COP and MA	Pregnant/Postpartum Infants Children, age 1-4 Total	Number 4, 361 4, 601 6, 315 15, 277		
Average wage for jobs covered by unemployment compensation (place of work) Ann	Home Health Agencies Patients Patients per 10,000 pop	. 95	CANCER INCIDENCE (20 Primary Site Breast Cervical Colorectal	002) 407 24 347		
Labor Force Estimates Aver	rage Nursing Homes	48 5, 102 722% 4, 633	Lung and Bronchus Prostate Other sites Total	378 514 1, 315 2, 985		
Civilian Labor Force 332, Number employed 313, Number unemployed 18, Unemployment rate	,358 Residents age 65 or old	er 56	Note: Totals shown are for invasive cancers only.	· 		

				NATA	IITY					
TOTAL LIVE BIRTHS Crude Live Birth Rate General Fertility Rate Live births with repo	te orted	7, 088 12. 2 58. 0	Birth Or First Second Third	der or hi gher	Bi rths 2, 826 2, 457 1, 124	Percent 40 35 16 10 0	Unknown	r ri ed	Bi rths 5, 402 1, 685 1	Percent 76 24 <.5
congenital anomalies Delivery Type Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean	Bi rths	Percent	1st tr 2nd tr	atal Visit imester imester imester its n	Bi rths 6, 035 797 156 94 6	Percent 85 11 2 1 <.5	Some high sci	r ary or les gh school hool llege graduate	642 2, 375 1, 684	Percent 3 9 34 24 31 <.5
Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown			Prenatal No vis 1-4 5-9 10-12 13+ Unknow		Bi rths 94 160 1,500 3,394 1,934 6	Percent 1 2 21 48 27 <. 5	Smoking : of Mother Smoker Nonsmok Unknown	r er	Bi rths 1, 088 5, 997 3	Percent 15 85 <. 5
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	Bi rths F 6, 407 45 82 342 141 71	Percent 90 1 1 5 2 1	Low Birth (under 2, Births P 388 5 4 21 11 5	500 am)	1st Tr Bi rths 5,590 33 60 236 66 50	Tri mest i mester Percent 87 73 73 69 47 70	ter of Firs 2nd Trin Births 1 612 6 16 82 63 18	mester Percent 10 13 20	Other/	'Unknown Percent 3 13 7 7 9
Age of Mother <15 15-17	Bi rths 1	ertility Rate 11	Low Birth (under 2, Births P	500 gm)	1st Tr Births *	Tri mest i mester Percent 58	ter of First 2nd Trin Births I *	mester	Other/	'Unknown Percent
18-19 20-24 25-29 30-34 35-39 40+ Unknown	137 393 1, 546 2, 192 1, 867 829 122 1	46 77 130 102 39 5 	34 99 144 93 44 10	8. 7 6. 4 6. 6 5. 0 5. 3 8. 2	264 1, 210 1, 946 1, 701 744 91	67 78 89 91 90 75	93 274 179 122 61 21	24 18 8 7 7 17		· · · · ·

MORBI DI TY			MOI	RTALLTY		
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (neonatal, and Perinatal and	except ir I postneor I fetal de	nfant) are p natal death eath rates a	per 100,000 population. rates are per 1,000 livare per 1,000 live birt culated for fewer than	Infant, ve births. hs plus	
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnaire's Lyme Measl es Meningitis, Aseptic Meningitis, Bacterial Mumps Pertussis Sal monel l osis Shi gel l osis Tubercul osis	TOTAL DEATHS Crude Death Ra Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+	Deaths 4 17 34 82 386 458 741 1, 403 1, 781	4, 957 852 Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart disea Cancer (total) Trachea/Bronchus/Lunc Colorectal Female Breast Cerebrovascular Disea Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes Infect./Parasitic Dis Suicide	1, 356 se 867 1, 168 g 272 122 85 se 398 222 136 240 115	Rate 233 149 201 47 21 29* 68 38 23 41 20 23 10 13
* 2003 provisional data. ** Includes all positive HBsAg test results.	Infant Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 51 32 19	Rate 7.2 4.5	* Based on female pop ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA	ulation. E AS UNDERL	_YI NG
Sexually Transmitted Disease Chlamydia Trachomatis 870 Genital Herpes 364 Gonorrhea 146 Syphilis 5	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	44 1 4 1	6. 9	Al cohol Other Drugs Both Mentioned * Includes tobacco us MOTOR VEHIC Note: These data are	e (see page LE CRASHES	÷ /).
Children in Grades K-12 by Compliance Level Compliant 108,318 Non-compliant 745 Percent Compliant 793.8	Bi rthwei ght <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Peri natal Mortal i ty Total Peri natal Neonatal Fetal	Deaths 76	Rate 10. 7	of crash, not Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	on resi deno Persons F I nj ured 5, 711 701 468 367 217 146	ce.

DI SEASE / AGE GROUP		Per 1, 000 Pop	Average Stay (Days)	Average	Charge	ITALIZATIONS DISEASE / AGE GROUP		Per 1, 000 Pop	Average	Average Charge	Charge Per Capi ta
I nj ury-Rel ated:	٨١١					Al cohol -Rel ated	1				
Total	4, 689	8. 1	4. 7	\$17, 107	\$138	Total	1, 353	2. 3	2. 7	\$3, 329	\$8
<18	349	2. 5	4. 7	\$17, 107 \$17, 854	\$136 \$44	18-44	773	3. 4	2. 7	\$3, 327 \$2, 711	\$9
18-44	1, 161	5. 2	4.0	\$17, 634	\$86	45-64	488	3. 5	2. 7	\$3, 674	\$13
45-64	1, 161	7.6	5. 1	\$19, 636	\$149	Pneumonia and I		3. 3	2. /	Ψ3, 074	Ψ15
45-04 65+	2, 119	27. 7		\$15, 996	\$443	Total	1, 939	3. 3	4. 3	\$9, 302	\$31
Injury: Hip F	racture	21.1	4. 0	φ13, 77 0	Ψ443	<18	1, 737	1. 4	3. 0	\$6, 288	\$9
Total	630	1. 1	5. 0	\$16, 154	\$17	45-64	281	2. 0			\$21
65+	581	7. 6	5. 0	\$10, 154 \$15, 961	\$17 \$121	65+	1, 307	17. 1	4. 2	\$9, 460	\$162
Injury: Poisc		7.0	5. 0	φ15, 7 01	φιζι	Cerebrovascul ar	n, 307	17. 1	4. 0	φ 9 , 400	\$102
Total	362	0. 6	2. 0	\$5, 912	\$4	Total	1, 447	2. 5	3. 6	\$12, 233	\$30
18-44	215	1. 0	1. 9	\$5, 683	\$ 5	45-64	296	2. 3	3. 7	\$12, 233	\$30 \$32
10-44	213	1. 0	1. 7	φ5, 005	ΨΟ	65+	1, 088	14. 2	3. 5	\$10, 634	\$151
Psychi atri c						Chronic Obstruc	tivo Dulm			\$10,034	φισι
Total	3, 869	6. 6	6. 9	\$5, 654	\$38	Total	934	1.6	3. 5	\$7, 035	\$11
<18	781	5. 5	8. 9	\$6, 870	\$38			0.8	1. 9	\$3, 518	\$3
18-44	2, 009	9. 0	6. 3	\$4, 993	\$45	<18 18-44 45-64 65+	96	0. 0		\$6, 179	\$3 \$3
45-64	673	4. 8	6. 4	\$5, 292	\$25	10-44	201	1. 4		\$7, 509	\$11
65+	406	5. 3	6.8	\$5, 292 \$7, 184	\$38	65+	522	6.8	3. 9	\$7, 309 \$7, 785	\$53
03+	400	5. 5	0. 0	ψ7, 10 4	Ψ30	Drug-Rel ated	322	0. 0	3. 7	Ψ1, 105	Ψ33
Coronary Heart	Ni saasa					Total	264	0. 5	9. 0	\$7, 299	\$ 3
Total	2, 817	4. 8	3 3	\$25, 439	\$123	18-44	133	0. 6	3. 7	\$3,723	\$3 \$2
45-64	942	6. 7		\$26, 615	\$179	10-44	133	0. 0	3. 7	Ψ3, 723	Ψ Z
65+	1, 765	23. 1		\$24, 963	\$576	Total Hospitali	zati ons				
051	1, 703	25. 1	3. 0	ΨΖΨ, 703	Ψ370	Total	61 300	105. 3	3.8	\$10, 434	\$1,099
Malignant Neopl	asms (Car	rers).	ΔΙΙ			<18	11, 168	78. 9	3. 3	\$5, 248	\$414
Total	2, 249	3. 9	, 5 5	\$18, 742	\$72	18-44 45-64	16, 686	74. 4	3. 2	\$7, 151	\$532
18-44	187	0. 8		\$20, 272	\$17	45-64	11, 680	83. 6	4. 1	\$14, 283	\$1, 194
45-64	793	5. 7	5 2	\$18, 824	\$107	65+	21, 766	284. 5		\$13, 547	\$3, 854
65+	1, 245	16. 3	5.8	\$17, 996	\$293		2.,,00	201.0	0	Ψ.ο, σ.,	Ψ0/ 00 !
Neoplasms: Fe	male Brea					PR	EVENTABI F	HOSPI 7	TALI ZATI (ONS*	
Total	131	0.4	2. 3	\$10, 755	\$5	Total	6, 824	11. 7	3. 7	\$8, 520	\$100
Neoplasms: Co	l o-rectal	J. 1	5	,	+ -	<18	712	5. 0	2. 5	\$6,051	\$30
Total	312	0. 5	7. 6	\$20, 742	\$11	<18 18-44	754	3. 4	3. 2	\$7, 705	\$26
65+	221	2. 9		\$21, 641	\$63	45-64 65+	1, 200	8. 6		\$9, 611	\$83
Neoplasms: Lu	ına	/	,		+ 50	65+	4, 158	54. 4	4. 0	\$8, 776	\$477
Total	213	0. 4	6. 2	\$19, 617	\$7		.,	J 1	0	+5, 7, 0	Ŧ · · ·
Di abetes						 * Hospitalizations	for cond	itions	where t	imely and	effecti v
Total	512	0. 9	4 O	\$11, 325	\$10	ambulatory care ca	n reduce	the lik	cel i hood	of hosni	talizatio
65+	177	2. 3		\$12, 409	\$29	ambaratory care ca				C. 1105pi	20110